			1. CONTRACT ID CODE	PAGE OF PAGES
AMENDMENT OF SOLICI	TATION/MODIFICATION	ON OF CONTRACT	J	1 1 11
2. AMENDMENT/MODIFICATION NO.	3. EFFRCTIVE DATE	4. REQUISITION/PURCHASE RE		5. PROJECT NO. (If applicable)
P00033	See Block 16C.	N/	A	RFID-II
6. ISSUED BY	CODE W91QUZ	7. ADMINISTERED BY (If other I	han Item 6)	CODE S0507A
Army Contracting Agency-ITEC4 ATTN: SFCA-IT, Pam Locke (70 2461 Eisenhower Avenue Alexandria, Virginia 22331-1700 e-mail: Pamela Locke-PersonnelS	3) 325-5779)	DCMA Northern Cali 700 East Roth Road, I P.O. Box 232 French Camp CA 95:	Bldg 330, 2 nd Flo 231 - 0232	
8. NAME AND ADDRESS OF CONTRACTOR	A		(4) 9A. AMENDM	MENT OF SOLICITATION NO.
Savi Technology				
615 Tasman Drive			9B. DATED (S	SEE ITEM 11)
Sunnyvale, CA 94089				
			IOA. MODIFIC	CATION OF CONTRACT/ORDER NO
			A	L01-03-D-1002
			10B. DATED	(SEE ITEM 13)
CODE 0J463	FACILITY CODE		21 Jan	nuary 2003
11. TI	HIS ITEM ONLY APPLIES T	TO AMENDMENTS OF SO	LICITATIONS	
The above numbered solicitation is amended	as set forth in Item 14. The hour and	date specified for receipt of Offers is	extended.	is not extended.
Offers must acknowledge receipt of this amondn				methods:(a) By completing Items
and 15, and returning copy of the amendme includes a reference to the solicitation and arrest RECEIPT OF OFFERS PRIOR TO THE HOUR an offer already submitted, such change may be not the opening hour and data specified.	AND DATA SPECIFIED MAY RES	UR ACKNOWLEDGMENT TO BI BULT IN REJECTION OF YOUR O	RECEIVED AT THE OFFER. If by virtue of to	PLACE DESIGNATED FOR TH his amendment you desire to change
12. ACCOUNTING AND APPROPRIATION DATA (I)	required)	***************************************		
N/A				
13 THIS I	TEM APPLIES ONLY TO M	ODIFICATIONS OF CONT	RACTS/ORDERS	
	DIFIES THE CONTRACT/O			,
THIS CHANGE ORDER IS ISSUED PURSUA THE ABOVE NUMBERED CONTRACT/ORI	DER IS MODIFIED TO REFLECT THE AL			
C. THIS SUPPLEMENTAL AGREEMENT IS EX		TTY OP:		
X D. OTHER (Specify type of modification and auth				
Dilatotal modification pulsual				
E. [MPORTANT: Contractor is	not, is required to sig	n this document and return.	1 copies to the is	suing office.
14. DESCRIPTION OF AMENDMENT/MODIFICATIO	N (Organized by UCF section headings, inc.	luling solicitation/contract subject matter	where forsible.)	
	See	Pages 2-11.		
Except at provided herein, all terms and conditions of the d	Ocument referenced in Item 7A or 10A I-	rretofore changed, remains unchanged and	in full force and affine	
ISA. NAME AND TITLE OF SIGNER (Type or pri		16A. NAME AND TITLE OF CO		(Type or neigh)
		GLORIA J. McGE		
MARY ELLEN GENOVES	E CFO	Tel: 703-325-2927	Email: Gloria.Me	cGec@ITEC4.army.mil
ISB. CONTRACTOR/OFFEROR	15C, DATE SIGNED	16B. UNITED STATES OF AME		16C. DATE SIGNED
M. In George		BY / /	21/6	
Signature of		1 Mainter	1/2/00	20 / 200
(Signature of person muthorized to sign,	20 SEP 05	(Signature of Co	ntracting Officer)	- wayout
NSN 7540-01-152-8070 PREVIOUS EDITION UNUSABLE		0-105 or Generated	THE RESERVE THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER.	FORM 30 (REV. 10-83)

30-105 Computer Generated STANDARD FORM 30 (REV. 10-83) Prescribed by GSA FAR (48 CFR) 53.24

A. This modification:

- Incorporates the Contractor's CCP #033 (Rev B), revising Part B-2 to add Savi Combined Intermec 751G/A Handheld Reader Kits, accessories, software, and transit case groups.
- 2) Revises Contract Part D, replacing the requirement for the Contractor to provide CD-ROMs of user manuals and software reference documentation with the requirement for the Contractor to provide on-line access to these documents.
- B. Part B-2, Master CLIN List, is revised as follows to make the necessary changes related to CCP #033 (Rev B):

FROM:

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X060GB	Savi Docking Station SDK Developer Support Services (8 hrs) (Service # DVS-SDK-SDS-08)	1	EA	\$1,288
X060GC	Savi Docking Station SDK Developer Support Services (6 hrs) (Service # DVS-SDK-SDS-06)	1	EA	\$966
X060GD	Savi Docking Station SDK Developer Support Services (4 hrs) (Service # DVS-SDK-SDS-04)	1	EA	\$644

TO:

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X060GB	SDK Developer Support Services (8 hrs) (Service # DVS-SDK-08)	1	EA	\$1,288
X060GC	SDK Developer Support Services (6 hrs) (Service # DVS-SDK-06)	1	EA	\$966
X060GD	SDK Developer Support Services (4 hrs) (Service # DVS-SDK-04)	1	EA	\$644

ADDITION:

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X006JA	Savi Combined Intermec 751G/A Batch Handheld Reader Kit C, North American, Japan & Continental Europe Power & Plug (100-120VAC/50-60HZ, Plug M) (Model # 741G-KIT-C-101) (OEM Savi/Intermec), includes: 1 Intermec 751G/A Batch Handheld Terminal — Intermec P/N 741G7200E551S000 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (NO RADIO) 1 256MB Memory Card (SD format), 856-046-004 1 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 1 Single Battery Charger, 852-060-002 1 Power Supply — 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 1 Power Cord for Power Supply — Country Specific for USA, 321-054-001 1 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 1 USB Communications Cable, 321-576-002 1 Intermec Holster and integrated shoulder strap, P/N TBD 1 Intermec Users Manuals CD	1	EA	3XXX \$4,800
	 SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide SmartChain Mobile Manager (SMM) Software for WINCE.NET/SMR-650 Handheld 			

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
	Reader (SMM-700-SW) (compatible with 751G/A and 751G/A Batch) (includes: CD-ROM, End User Pocket Guide, & Quick Install Guide)			
X006JB	Savi Combined Intermec 751G/A Batch Handheld Reader Kit C, Germany/West. Europe/Kuwait 220-240VAC 50 Hz (Model # 741G-KIT-C-1012) (OEM Savi/Intermec), includes: 1 Intermec 751G/A Batch Handheld Terminal — Intermec P/N 741G7200E551S000	1	EA	\$4,800
	with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (NO RADIO) 1 256MB Memory Card (SD format), 856-046-004 1 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001			
	 Single Battery Charger, 852-060-002 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 Power Cord for Power Supply – Country Specific for Germany/Western Europe, 321-473-001 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318- 			
	013-002 1 USB Communications Cable, 321-576-002 1 Intermec Holster and integrated shoulder strap, P/N TBD 1 Intermec Users Manuals CD			
	 SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide SmartChain Mobile Manager (SMM) Software for WINCE.NET/SMR-650 Handheld Reader (SMM-700-SW) (compatible with 751G/A and 751G/A Batch) (includes: CD-ROM, End User Pocket Guide, & Quick Install Guide) 			
X006JC	Savi Combined Intermec 751G/A Batch Handheld Reader Kit C, United Kingdom/Singapore 240VAC 50 Hz (Model # 741G-KIT-C-1017) (OEM Savi/Intermec), includes:	1	EA	\$4,800
	 Intermec 751G/A Batch Handheld Terminal – Intermec P/N 741G7200E551S000 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (NO RADIO) 256MB Memory Card (SD format), 856-046-004 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 			
	 Single Battery Charger, 852-060-002 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 Power Cord for Power Supply – Country Specific for United Kingdom, 321-474-001 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 USB Communications Cable, 321-576-002 			
	 Intermec Holster and integrated shoulder strap, P/N TBD Intermec Users Manuals CD SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide SmartChain Mobile Manager (SMM) Software for WINCE.NET/SMR-650 Handheld Reader (SMM-700-SW) (compatible with 751G/A and 751G/A Batch) (includes: CD-ROM, End User Pocket Guide, & Quick Install Guide) 			
X006JD	Savi Combined Intermec 751G/A WiFi Handheld Reader Kit C, North American, Japan & Continental Europe Power & Plug (100-120VAC/50-60HZ, Plug M) (Model # 751G-KIT-C-101) (OEM Savi/Intermec), includes:	1	EA	\$5,050
	 Intermec 751G/A WiFi 802.11B/G Handheld Terminal — Intermec P/N 751G7200E516S804 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (INCLUDES RADIO) 256MB Memory Card (SD format), 856-046-004 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 			
	 Single Battery Charger, 852-060-002 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 Power Cord for Power Supply – Country Specific for USA, 321-054-001 			

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
	 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 USB Communications Cable, 321-576-002 Intermec Holster and integrated shoulder strap, P/N TBD Intermec Users Manuals CD SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide SmartChain Mobile Manager (SMM) Software for WINCE.NET/SMR-650 Handheld Reader (SMM-700-SW) (compatible with 751G/A and 751G/A Batch) (includes: CD-ROM, End User Pocket Guide, & Quick Install Guide) 			
X006JE	Savi Combined Intermec 751G/A WiFi Handheld Reader Kit C, Germany/West. Europe/Kuwait 220-240VAC 50 Hz (Model # 751G-KIT-C-1012) (OEM Savi/Intermec), includes: 1 Intermec 751G/A WiFi 802.11B/G Handheld Terminal — Intermec P/N 751G7200E516S804 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (INCLUDES RADIO) 1 256MB Memory Card (SD format), 856-046-004 1 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 1 Single Battery Charger, 852-060-002 1 Power Supply — 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 1 Power Cord for Power Supply — Country Specific for Germany/Western Europe, 321-473-001 1 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 1 USB Communications Cable, 321-576-002 1 Intermec Holster and integrated shoulder strap, P/N TBD 1 Intermec Users Manuals CD 1 SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide 1 SmartChain Mobile Manager (SMM) Software for WINCE.NET/SMR-650 Handheld Reader (SMM-700-SW) (compatible with 751G/A and 751G/A Batch) (includes: CD-ROM, End User Pocket Guide, & Quick Install Guide)	1	EA	\$5,050
K006JF	Savi Combined Intermec 751G/A WiFi Handheld Reader Kit C, United Kingdom/Singapore 240VAC 50 Hz (Model # 751G-KIT-C-1017) (OEM Savi/Intermec), includes: 1 Intermec 751G/A WiFi 802.11B/G Handheld Terminal — Intermec P/N 751G7200E516S804 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (INCLUDES RADIO) 1 256MB Memory Card (SD format), 856-046-004 1 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 1 Single Battery Charger, 852-060-002 1 Power Supply — 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 1 Power Cord for Power Supply — Country Specific for United Kingdom, 321-474-001 1 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 1 USB Communications Cable, 321-576-002 1 Intermec Holster and integrated shoulder strap, P/N TBD 1 Intermec Users Manuals CD 1 SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide 1 SmartChain Mobile Manager (SMM) Software for WINCE.NET/SMR-650 Handheld Reader (SMM-700-SW) (compatible with 751G/A and 751G/A Batch) (includes: CD-ROM, End User Pocket Guide, & Quick Install Guide)	1	EA	\$5,050

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX	
X006JG	Savi Combined Intermec 751G/A Batch Handheld Reader Kit A, without SmartChain Mobile Manager, North American, Japan & Continental Europe Power & Plug (100-120VAC/50-60HZ, Plug M) (Model # 741G-KIT-A-101) (OEM Savi/Intermec), includes: 1	1	EA	\$4,150	
X006JH	mounting bracket, country-specific charger/cord, User Guide Savi Combined Intermec 751G/A Batch Handheld Reader Kit A, without SmartChain Mobile Manager, Germany/West. Europe/Kuwait 220-240VAC 50 Hz (Model # 741G-KIT-A-1012) (OEM Savi/Intermec), includes:	1	EA	EA	\$4,150
X006JJ	 Intermec 751G/A Batch Handheld Terminal – Intermec P/N 741G7200E551S000 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (NO RADIO) 256MB Memory Card (SD format), 856-046-004 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 Single Battery Charger, 852-060-002 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 Power Cord for Power Supply – Country Specific for Germany/Western Europe, 321-473-001 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 USB Communications Cable, 321-576-002 Intermec Holster and integrated shoulder strap, P/N TBD Intermec Users Manuals CD SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide Savi Combined Intermec 751G/A Batch Handheld Reader Kit A, without SmartChain 	1		\$4.450	
70000	 Mobile Manager, United Kingdom/Singapore 240VAC 50 Hz (Model # 741G-KIT-A-1017) (OEM Savi/Intermec), includes: Intermec 751G/A Batch Handheld Terminal – Intermec P/N 741G7200E551S000 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (NO RADIO) 256MB Memory Card (SD format), 856-046-004 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 Single Battery Charger, 852-060-002 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 Power Cord for Power Supply – Country Specific for United Kingdom, 321-474-001 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 USB Communications Cable, 321-576-002 Intermec Holster and integrated shoulder strap, P/N TBD Intermec Users Manuals CD SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide 	4	EA	\$4,150	

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X006JK	Savi Combined Intermec 751G/A WiFi Handheld Reader Kit A, without SmartChain Mobile Manager, North American, Japan & Continental Europe Power & Plug (100-120VAC/50-60HZ, Plug M) (Model # 751G-KIT-A-101) (OEM Savi/Intermec), includes: 1	1	EA	\$4,400
X006JL	mounting bracket, country-specific charger/cord, User Guide Savi Combined Intermec 751G/A WiFi Handheld Reader Kit A, without SmartChain Mobile Manager, Germany/West. Europe/Kuwait 220-240VAC 50 Hz (Model # 751G- KIT-A-1012) (OEM Savi/Intermec), includes:	1	EA	\$4,400
	 Intermec 751G/A WiFi 802.11B/G Handheld Terminal – Intermec P/N 751G7200E516S804 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (INCLUDES RADIO) 256MB Memory Card (SD format), 856-046-004 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 Single Battery Charger, 852-060-002 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 Power Cord for Power Supply – Country Specific for Germany/Western Europe, 321-473-001 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 USB Communications Cable, 321-576-002 Intermec Holster and integrated shoulder strap, P/N TBD Intermec Users Manuals CD SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and mounting bracket, country-specific charger/cord, User Guide 			
X006JM	Savi Combined Intermec 751G/A WiFi Handheld Reader Kit A, without SmartChain Mobile Manager, United Kingdom/Singapore 240VAC 50 Hz (Model # 751G-KIT-A-1017) (OEM Savi/Intermec), includes: 1 Intermec 751G/A WiFi 802.11B/G Handheld Terminal – Intermec P/N 751G7200E516S804 with 2D imager, CE.NET 4.2, XScale, color, 64/64M RAM/ROM, full Alpha-Numeric keypad. (INCLUDES RADIO) 1 256MB Memory Card (SD format), 856-046-004 1 700 Series Single-Slot Cradle/Charger/Communications Dock (USB, serial), 225-683-001 1 Single Battery Charger, 852-060-002 1 Power Supply – 2 outputs for Single Slot Cradle and Battery Charger, 851-061-101 1 Power Cord for Power Supply – Country Specific for United Kingdom, 321-474-001 1 Extra Battery for 700 Series X-Scale Architecture, (7.2V, 2000 mAH LiON), 318-013-002 1 USB Communications Cable, 321-576-002 1 Intermec Holster and integrated shoulder strap, P/N TBD 1 Intermec Users Manuals CD 1 SaviActive RFID Mobile Reader (SMR-650-212) with integrated cable assembly and	1	EA	\$4,400
K006JN	mounting bracket, country-specific charger/cord, User Guide Savi Handheld Holster & Shoulder Strap (Compatible with Intermec 751G/A with Savi	1	EA	\$77
(006JP	Mobile reader Mounted) (Model # SMRA-751G-04) (OEM Intermec) Handle and Trigger (Model # SMRA-751G-03) (OEM Intermec)	1	EA	\$63
	production of the control of the con			-

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X006JQ	Single Dock USB/Ethernet, 700 Color (Provides RS232 serial (DB9M), USB, and Ethernet (RJ45) connectivity) (Requires Univ AC adapter X006JV) (USB cable must be ordered separately) (Model # SMRA-751G-01) (OEM Intermec)	1	EA	\$132
X006JR	Single Battery Charger, 700 Color (Requires Univ AC Adapter, SLIN X006JU, and country-specific AC power cord, SLINs X006JW-JY) (Model # SMRA-751G-00) (OEM Intermec)	1	EA	\$90
X006JS	Quad Battery Charger, 700 Color (Requires Univ AC Adapter, SLIN X006JV, and country-specific AC power cord, SLINs X006JW-JY) (Model # SMRA-751G-02) (OEM Intermec)	1	EA	\$263
X006JT	Replacement Battery Pack, 700 Color (Model # SMRA-751G-06) (OEM Intermec)	1	EA	\$60
X006JU	Univ AC Adapter, 12V/2.5A, with 2 Power Plugs (Use with 700 Color USB Single Dock, SLIN X006JQ, or 700 Color Single Battery Charger, SLIN X006JR) (Not for use with Quad Battery Charger, SLIN X006JS) (Model # SMRA-751G-07) (OEM Intermec)	1	EA	\$53
X006JV	Univ AC Adapter, 12V/2.5A w/ Barrel Connector (Use with 700 Series Quad Battery Charger, SLIN X006JS, or 700 Series USB Single Dock, SLIN X006JQ) (AC power cord must be ordered separately) (Model # SMRA-751G-08) (OEM Intermec)	1	EA	\$44
X006JW	AC power cord, US (Model # SMRA-751G-09) (OEM Intermec)	1	EA	\$6
X006JX	AC power cord, Europe (Model # SMRA-751G-10) (OEM Intermec)	1	EA	\$6
X006JY	AC power cord, UK (Model # SMRA-751G-11) (OEM Intermec)	1	EA	\$6
X006JZ	Adapter, IO Module PDCT-B - DB9 RS-232 Male (Model # SMRA-751G-05) (OEM Intermec)	1	EA	\$75
X050GA	Savi Combined 751G/A Batch Handheld Reader Kit TCG (Model # TCG-SMR-741G-01) (OEM Savi/Intermec), Olive Drab, includes: 2 Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,000
X050GB	Savi Combined 751G/A Batch Handheld Reader Kit TCG (Model # TCG-SMR-741G-02) (OEM Savi/Intermec), Black, includes: 2 Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,000
X050GC	Savi Combined 751G/A Batch Handheld Reader Kit TCG (Model # TCG-SMR-741G-03) (OEM Savi/Symbol), Sand, includes: 2 Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,000
X050GD	Savi Combined 751G/A Batch Handheld Reader Kit TCG (Model # TCG-SMR-741G-04) (OEM Savi/Intermec), Gray, includes: 2 Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,000
X050GE	Savi Combined 751G/A WiFi Handheld Reader Kit TCG (Model # TCG-SMR-751G-01) (OEM Savi/Intermec), Olive Drab, includes: 2 Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,500
X050GF	Savi Combined 751G/A WiFi Handheld Reader Kit TCG (Model # TCG-SMR-751G-02) (OEM Savi/Intermec), Black, includes: 2 Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,500
X050GG	Savi Combined 751G/A WiFi Handheld Reader Kit TCG (Model # TCG-SMR-751G-03) (OEM Savi/Intermec), Sand, includes: 2 Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 4 International Power Kit 1 Transit Case w/ foam	1	EA	\$11,500

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
X050GH	Savi Combined 751G/A WiFi Handheld Reader Kit TCG (Model # TCG-SMR-751G-04) (OEM Savi/Intermec), Gray, includes:	1	EA	\$11,500
	 Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 International Power Kit Transit Case w/ foam 			
X050GJ	Savi Combined 751G/A Batch Handheld Reader Kit & 2MB Portable Printer TCG (Model # TGP-SMR-741G-01) (OEM Savi/Intermec), Olive Drab, includes:	1	EA	\$8,200
	Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 PT473 Printer with 700 mAh battery, carrying case and shoulder strap Battery, printer spare, 700 mAh Battery charger, printer (multiple) AC Adapter			
	 1 Print head, spare 2 Label roll, 2.1" OD, 50 4" x 6" labels, polyester material 1 Ribbon cartridge, Resin 1 Operating manual, Printer 			
	1 DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 1 Interface Cable, DB9F to RJ45 3 International Power Kit for Module Battery Charger and Printer Battery Charger			
X050GK	1 Transit Case w/ foam Savi Combined 751G/A Batch Handheld Reader Kit & 2MB Portable Printer TCG (Model # TGP-SMR-741G-02) (OEM Savi/Intermec), Black, includes:	1	EA	\$8,200
	Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 PT473 Printer with 700 mAh battery, carrying case and shoulder strap Battery, printer spare, 700 mAh Battery charger, printer (multiple) AC Adapter Print head, spare			
	Print head, spare Label roll, 2.1" OD, 50 4" x 6" labels, polyester material Ribbon cartridge, Resin Operating manual, Printer DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 Interface Cable, DB9F to RJ45 International Power Kit for Module Battery Charger			
X050GL	Transit Case w/ foam Savi Combined 751G/A Batch Handheld Reader Kit & 2MB Portable Printer TCG (Model)	1	EA	\$8,200
	# TGP-SMR-741G-03) (OEM Savi/Intermec), Sand, includes: 1 Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 1 PT473 Printer with 700 mAh battery, carrying case and shoulder strap 2 Battery, printer spare, 700 mAh 1 Battery charger, printer (multiple) 1 AC Adapter 1 Print head, spare 2 Label roll, 2.1" OD, 50 4" x 6" labels, polyester material			
	1 Ribbon cartridge, Resin 1 Operating manual, Printer 1 DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 1 Interface Cable, DB9F to RJ45 3 International Power Kit for Module Battery Charger and Printer Battery Charger 1 Transit Case w/ foam			
(050GM	Savi Combined 751G/A Batch Handheld Reader Kit & 2MB Portable Printer TCG (Model # TGP-SMR-741G-04) (OEM Savi/Intermec), Gray, includes:	1	EA	\$8,200
	Savi Combined 751G/A Batch Handheld Reader Kit, Model # 741G-KIT-C-101 PT473 Printer with 700 mAh battery, carrying case and shoulder strap Battery, printer spare, 700 mAh Battery charger, printer (multiple) AC Adapter Print head, spare			
	2 Label roll, 2.1" OD, 50 4" x 6" labels, polyester material 1 Ribbon cartridge, Resin			

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
	1 Operating manual, Printer 1 DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 1 Interface Cable, DB9F to RJ45 3 International Power Kit for Module Battery Charger and Printer Battery Charger 1 Transit Case w/ foam			
X050GN	Savi Combined 751G/A WiFi Handheld Reader Kit & 2MB Portable Printer TCG (Model #TGP-SMR-751G-01) (OEM Savi/Intermec), Olive Drab, includes: Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 PT473 Printer with 700 mAh battery, carrying case and shoulder strap Battery, printer spare, 700 mAh Battery charger, printer (multiple) AC Adapter Print head, spare Label roll, 2.1" OD, 50 4" x 6" labels, polyester material	1	EA	\$8,450
	1 Ribbon cartridge, Resin 1 Operating manual, Printer 1 DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 1 Interface Cable, DB9F to RJ45 3 International Power Kit for Module Battery Charger and Printer Battery Charger 1 Transit Case w/ foam			
X050GP	Savi Combined 751G/A WiFi Handheld Reader Kit & 2MB Portable Printer TCG (Model # TGP-SMR-751G-02) (OEM Savi/Intermec), Black, includes: Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 PT473 Printer with 700 mAh battery, carrying case and shoulder strap Battery, printer spare, 700 mAh Battery charger, printer (multiple) AC Adapter Print head, spare	1	EA	\$8,450
	 Label roll, 2.1" OD, 50 4" x 6" labels, polyester material Ribbon cartridge, Resin Operating manual, Printer DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 Interface Cable, DB9F to RJ45 International Power Kit for Module Battery Charger and Printer Battery Charger Transit Case w/ foam 			
X050GQ	Savi Combined 751G/A WiFi Handheld Reader Kit & 2MB Portable Printer TCG (Model # TGP-SMR-751G-03) (OEM Savi/Intermec), Sand, includes: 1	1	EA	\$8,450
X050GR	Savi Combined 751G/A WiFi Handheld Reader Kit & 2MB Portable Printer TCG (Model #TGP-SMR-751G-04) (OEM Savi/Intermec), Gray, includes: 1 Savi Combined 751G/A WiFi Handheld Reader Kit, Model # 751G-KIT-C-101 1 PT473 Printer with 700 mAh battery, carrying case and shoulder strap 2 Battery, printer spare, 700 mAh 1 Battery charger, printer (multiple) 1 AC Adapter 1 Print head, spare 2 Label roll, 2.1" OD, 50 4" x 6" labels, polyester material 1 Ribbon cartridge, Resin 1 Operating manual, Printer	1	EA	\$8,450

CLIN/ SLIN	Description	Qty	Unit	Contract Year 3 3XXX
	 DEX Adapter DB9 male fits on bottom of 751G/A for printer interface, 074143 Interface Cable, DB9F to RJ45 International Power Kit for Module Battery Charger and Printer Battery Charger Transit Case w/ foam 			
X060ED	SmartChain Mobile Manager Software for WINCE.NET/SMR-650 Handheld Reader (Compatible with Intermec 751G/A and 751G/A Batch), includes CD-ROM, End User Pocket Guide, & Quick Install Guide, Single Order Quantity of 1-50 (Model # SMM-700-SW) (OEM Savi)	1	EA	\$750
X060EE	SmartChain Mobile Manager Software for WINCE.NET/SMR-650 Handheld Reader (Compatible with Intermec 751G/A and 751G/A Batch), includes CD-ROM, End User Pocket Guide, & Quick Install Guide, Single Order Quantity of 51-100 (Model # SMM-700-SW) (OEM Savi)	1	EA	\$715
X060EF	SmartChain Mobile Manager Software for WINCE.NET/SMR-650 Handheld Reader (Compatible with Intermec 751G/A and 751G/A Batch), includes CD-ROM, End User Pocket Guide, & Quick Install Guide, Single Order Quantity of 101-250 (Model # SMM-700-SW) (OEM Savi)	1	EA	\$675
X060EG	SmartChain Mobile Manager Software for WINCE.NET/SMR-650 Handheld Reader (Compatible with Intermec 751G/A and 751G/A Batch), includes CD-ROM, End User Pocket Guide, & Quick Install Guide, Single Order Quantity of 251-500 (Model # SMM-700-SW) (OEM Savi)	1	EA	\$600
X060EH	SmartChain Mobile Manager Software for WINCE.NET/SMR-650 Handheld Reader (Compatible with Intermec 751G/A and 751G/A Batch), includes CD-ROM, End User Pocket Guide, & Quick Install Guide, Single Order Quantity of 500+ (Model # SMM-700-SW) (OEM Savi)	1	EA	\$490
X060EJ	SmartChain Mobile Framework and Software Development Kit (SDK) for Windows CE.NET/SMR-650 Handheld Reader (Model # SSM-700-SDK) (OEM Savi), includes: 1 CD-ROM, Savi SmartChain Mobile Framework & SDK 1 SDK Developer's Manual 8 Hours of Savi SmartChain Mobile Framework & SDK Developer Support (Note: This SDK is for a single AIS and includes the rights to distribute the runtime.)	1	EA	\$3,000
X060EK	Runtime License for SmartChain Mobile Framework and SDK (Model # SMM-700-RTL) (OEM Savi)	1	EA	\$425

C. Paragraph 12.1, Contract Part D, Radio Frequency Identification-II Specification and Statement of Work, is revised to reflect the following no-cost modification:

FROM:

"...In addition, a separate set of user manuals and software reference documentation shall be provided to the COR via CD-ROM for any piece of equipment that interfaces with a host computer system. User manuals and software documentation shall be in the Contractor's format using MS Office."

TO:

"...The Contractor shall provide the RFID user community with online access to, including the capability to download, all user manuals and software reference documentation for any piece of equipment that interfaces with a host computer system. User manuals and software documentation shall be in the Contractor's format using Portable Document Format (PDF)."

- D. The Contractor shall update the Savi Mobile Reader User Guide (page 13) to define the correct reset procedures for the reader pods added pursuant to CCP #033 (Rev B).
- E. The following contract parts are replaced in their entirety and dated 14 September 2005 for administrative purposes:
 - 1) Contract Part B-2: Changes in Microsoft Excel are denoted by a bar (|) in the right margin.
 - 2) Contract Part D: Changes in Microsoft Word are implemented using the following highlight technique --

Under Tools, Option, Track Changes Tab: Inserted text; Mark: Underline, Color: Auto

Changed lines; Mark: Right border, Color: Auto

F. As a result of this modification, there is no change in the total amount obligated under the contract.